

MR350/21 350 BAR 21 LT WATER JET





The MR350/21 Water jet Machine is special equipment that offers superior performance in industrial and commercial areas with its powerful water jet cleaning. With a high pressure capacity of 350 bars and a water flow rate of 21 liters/min, it allows you to effectively clean even the most demanding dirt and debris.

This water jet machine offers a wide range of applications in various industries. From construction sites to industrial facilities, from transport vehicles to agricultural areas, it meets the needs of effective cleaning in different areas. High-pressure water spraying provides a deep and fast cleaning of floors, walls, machines, vehicles and many other surfaces.

Made of durable and robust materials, the MR200/15 water jet machine is designed to withstand hard and intense working conditions. Its durable, long lasting structure supports continuity of your business with low maintenance requirements.

In addition, you can easily use this water jet machine thanks to its user-friendly design.

It provides flexibility in your workspace with its portability and practical use. This machine, which has been designed taking into account the technical characteristics as well as the safety measures, keeps the operator safety at the highest level.



Mobil : 0537 394 5255 Ofis 0540 394 5255



Evliya Çelebi Mahallesi, Tuzla Gemi Yan Sanayi Fersah Sokak, No:3 / 31 Tuzla, İstanbul





DEFINITION	DESCRIPTION
ORIGIN	MADE IN TURKEY
MACHINE DESCRIPTION	JET MACHINE WITH 350 BARS HIGH PRESSSURE CAPACITY
FIELDS OF USE	VESSELS, INDUSTRIAL FACILITIES, CONSTRUCTION SITES, PETROCHEMICAL FACILITIES
PUMP PRESSURE	HIGH PRESSURE WATER JET PUMP WITH 3 CERAMIC PISTONS (ITALIAN ANNOVI REVERBERI)
WATER FLOW	21 LITERS / MINUTE
PRESSURE GUN	EASY-TO-USE TRIGGER OPERATED WITHOUT RECOIL
WORKING PRESSURE	350 BAR (60 - 350 BAR ADJUSTABLE BY-PASS SYSTEM)
PUMP SAFETY SYSTEM	SPECIAL BY - PASS SYSTEM HIGH PRESSURE DISCHARGE VALVE
PISTON	3 PIECES OF CERAMIC PISTONS
PUMP WATER SUPPLY	SPECIAL WATER TANK
FILTER SYTEM	REPLACABLE 50 MICRON FILTER SYSTEM
POWER - CURRENT REQUIRED	15 Kw 20 HP *380/440V 50/60Hz (POWERFULL AIR COOLING)


DEFINITION	DESCRIPTION
ENGINE SPEED/RPM	1500 SPEED /RPM/ MINUTE
ELECTRICAL CABLE LENGHT	5 METER (4X6 TTR – FUNCTIONALLY INCREASABLE)
ELECTRICAL SAFETY SYSTEM	STAR TRIANGLE PANEL + EMERGENCY STOP BUTTON
PUMP AND MOTOR CONNECTION	A COUPLED SYSTEM CONNECTED WITH FLEXABLE 110MM COUPLING
MACHINE DESIGN	NEW MODEL INNOVATIVE DESIGN WITH 4 EYEBOLT CONNECTIONS
PRESSURE HOSE LENGTH	20 METERS HIGH PRESSURE HOSE (SPECIAL HOSE WITH 350 BAR WORKING PRESSURE THAT IS FUNCTIONALLY INCREASABLE)
PRESSURE NOOZZLE	RETEMEC 050 ROTARY NOZZLE (FUNCTIONALLY CHANGEABLE)
WHEELS	4 WHEELS, 2 ARE FIXED AND THE OTHER 2 ARE STEERING WHEELS / HEAVY DUTY WORK TYPE WHEELS
MACHINE WEIGHT	300-350 KG



MRYP2135 PUMP

The Water Jet Pump is powerful equipment used for efficient cleaning operations by providing high-pressure water spraying.

This pump is used in both industrial and commercial fields and facilitates for wide range of cleaning operations such as surface cleaning, dirt removal and removal of hard to remove stubborn dirt by supplying water at high pressure. With its durable structure and strong performance, it supports business continuity while increasing productivity in different sectors or industries.





MRYEM15/1500 ELECTRIC MOTOR

An Electric Motor is a special type of motor used in powerful water jet systems. This motor provides movement using high-pressure electric current energy. It is used as the driving mechanism of the water jet pump. Water Jet Electric Motor provides energy saving with its durable structure and high efficiency and I3 System. 15kwa 1500 Rpm b14 is Flanged.



MRY40 PRESSURE REGULATOR

Pressure Regulator is a part used in water jet systems that performs the task of increasing and decreasing pressure. This regulator is designed to adjust the water pressure to the desired level. Users of this device can regulate the pressure and achieve the desired sensitivity. This regulator plays an important role in optimizing system performance, protecting equipment and saving energy.



MRY350/21 CONTROL UNIT

The Control Unit is a compact unit used to control the water jet machine. This unit provides convenience to users and offers the possibility to manage different functions. Thanks to the Control Unit, control is increased by implementing functions such as machine opening/stopping/emergency stopping water level control and stopping. It is also ready for the infrastructure of different locations with 50/60 HZ Voltage options.



MRYKP110 PUMP CONNECTION COUPLING

Pump Coupling, s a flexible fastener used to connect pumps and pipelines of different sizes and types together. This coupling allows you to quickly and reliably combine pipes or pumps with different diameters and configurations. The coupling, which is made of durable material, provides sealing and resists pressure changes in the system. The Pump Connection Coupling ensures the safe transportation and transmission of water, oil, chemicals and other fluids.



MRYKPL110 COUPLING RUBBER

Coupling Rubber is an elastic material used to connect different parts together and absorb vibration and impact during transportation. This rubber provides flexibility at the connection points and supports Coupling between moving parts. Coupling Rubbers, usually used in motors, pumps or machinery, provide durability and vibration absorption, providing a longer service life and stable operation. Its heat, oil and impact resistant structure provides a reliable connection in various industrial applications.



MRYM63 PRESSURE GAUGE / MONOMETER

Pressure Gauge (Manometer) is a device used to measure and visually display the liquid or gas reservoir in a system. This monometer contains a measuring scale and a needle and helps you read the current pressure level. Pressure Gauges, which are usually used in industrial equipment, installation systems or machinery, provide accurate and reliable monitoring of the pressure in the system. This device helps operators to optimize operations and take corrective measures when necessary.



MRYH65 CONNECTION HOSE

The Connecting Hose is a flexible hose used to connect the pump in the water jet with the pressure gauge and ensure fluid transmission. This hose is made of durable materials and usually consists of an inner and outer layer with flexibility. The 3/8 Diameter Heads are 1/2 BSP in Size.



MRYF3/4 WATER FILTER

Water Filter is a device that allows the water to be used cleanly and efficiently by catching the impurities, particles and foreign substances in the water. This filter protects the water jet system by blocking impurities from the water source and supports its long-lasting operation. The Water Filter improves the quality of the water and allows spraying operations to be performed more effectively and reliably. Therefore, it plays an important role for the sustainability of water jet performance and the protection of equipment. Our water filter is 1/2 Filter.



MRYSM1.1/4 FLATOR

1.1/4 Flator is the part that serves as the level float / buoy of the water tank in the water jet. 1.1/4 Flator, Compact and durable design ensures that the water flow level is regular and reliable."



MRAND040 ROTARY NOZZLE

Rotary Nozzle is an accessory that allows water to be sprayed in a moving way. This nozzle is usually used for garden watering or cleaning purposes. It allows water to spread by rotating the water flow, which effectively distributes water over a wider area. This feature makes irrigation or cleaning operations faster and more efficient.



MRANY040 RANGE NOZZLE

Range Nozzle is a special spraying accessory that allows water to spread over a wide area. It is usually used for garden watering or cleaning operations. Thanks to the ability to spray water in a thin and wide fan shape, it becomes possible to irrigate or clean large areas more uniformly / evenly.

With its simple and effective design, it makes the process more efficient while ensuring the optimal use of water.



MRYSE3M LEVEL CONTROL FLOAT / BUOY

LLevel Control Buoy is a device that provides level control of the water in the water tank. This buoy stops the machine when the liquid level drops. It prevents the machine from working when there is no water in the Water Tank. Thanks to its durable and reliable structure, it prevents the machine from working without water flow and increases the machine service life.

Accessories



MRAT510 HIGH PRESSURE GUN

The High Pressure Gun is a device designed for effective cleaning and sprays applications with strong water pressure. This gun sprays water at high pressure, allowing you to easily remove difficult dirt and debris. It is usually used in various fields such as garden cleaning, car washing or surface cleaning. It is an easy-to-use and effective tool with its durable structure and user-friendly design.



MRAH330/20 HIGH PRESSURE HOSE

High pressure hose delivers high pressure water safely to durable and flexible pipes used in water jet systems.